

MATERIAL SAFETY DATA SHEET

CANDIN® SKIN TEST ANTIGEN

Delasco Dermatologic Lab & Supply, Inc.
608 13th Ave., Council Bluffs, IA 51501 1-712-323-3269
www.delasco.com questions@delasco.com

Date prepared: December 2010

The statements herein are offered for informational purposes only and are intended to be followed only by persons having related technical skills and at their own discretion and risk. Since conditions and manner of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.

Product/Chemical Name: CANDIN® SKIN TEST ANTIGEN

Formula: N/A

Physical Description: Clear, with a slight odor of phenol.

Special Hazards: None

Unusual Fire/Explosion Hazards: N/A

Reactivity: Stable

Hazardous Decomposition Products: N/A

Spill or Leak Procedures

Action: Use general housekeeping procedures to clean up broken glass and liquid.

Disposal Method: To be performed in compliance with all current local, state and federal regulations.

Threshold Limit Value: N/A

Potential Carcinogen: No

First Aid Procedures

Skin: General hygienic practices suffice for normal contact with the product. Immediate washing with copious amounts of water is recommended for eye or broken skin contact.

Eyes: Check for and remove any contact lenses. Flush with water and seek medical attention.

Ingestion: The person should be closely observed for an hour. If swelling, difficulty in breathing, general itching, or a rash occurs, immediate medical care for anaphylaxis must be obtained. Local allergic reactions may be treated with antihistamine and topical corticosteroid; systemic allergic reactions may require intramuscular or subcutaneous epinephrine injection and possibly other measures.

Inhalation: The person should be closely observed for an hour. If swelling, difficulty in breathing, general itching, or a rash occurs, immediate medical care for anaphylaxis must be obtained. Local allergic reactions may be treated with antihistamine and topical corticosteroid; systemic allergic reactions may require intramuscular or subcutaneous epinephrine injection and possibly other measures.

Storage Recommendations: Store at 2 - 8°C (35.6 - 46.4 °F) as soon as received.

Special Protection Information

N/A

Special Handling Precautions

May be shipped overnight without cold pack. Store at 2 - 8°C (35.6 - 46.4 °F) as soon as received.