

# MATERIAL SAFETY DATA SHEET

## CROTON OIL

**Delasco Dermatologic Lab & Supply, Inc.**  
608 13th Ave., Council Bluffs, IA 51501 1-712-323-3269  
[www.delasco.com](http://www.delasco.com) [questions@delasco.com](mailto:questions@delasco.com)

Date prepared: December 2010

The statements herein are offered for informational purposes only and are intended to be followed only by persons having related technical skills and at their own discretion and risk. Since conditions and manner of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.

**Product:** CROTON OIL, 100%

**Chemical Name:** Tigllium Oil

**Formula:** N/A

**Physical Description:** Pale yellow or brownish yellow viscous liquid.

Boiling Point: Not available. Specific gravity: 0.935-0.950 Water soluble

---

**Special Hazards:** Skin and eye irritant. Toxic.

**Unusual Fire/Explosion Hazards:** Slight fire hazard when exposed to heat or flame.

**Reactivity:** Stable under normal temperatures and pressures.

**Incompatibilities:** Strong oxidizers = fire or explosion hazard

**Hazardous Decomposition Products:** None

### Spill or Leak Procedures

**Action:** Stop spill. Take up with absorbant material and place into clean dry container for later disposal.

**Disposal Method:** To be performed in compliance with all current local, state and federal regulations.

**Threshold Limit Value:** 190 ng skin-mouse irritation; 400 µg/20 hours skin- guinea pig irritation; 1 mg/kg intraperitoneal-mouse LDLO; Carcinogen status: None

**Overexposure Effects:** Inhalation: No data available.

**Skin:** Irritant-Acute: Contact may cause irritation with vesiculation, necrosis and sloughing of skin. Systemic poisoning may occur due to skin absorption. Allergic contact dermatitis due to members of the Euphorbiaceae family has been reported. Chronic: May cause dermatitis. Has been used as a co-carcinogen in cancer research.

**Eyes:** Acute: May cause severe keratoconjunctivitis with pain, swelling and purulent discharge. Residual opacity has been reported. Chronic Exposure: May cause conjunctivitis.

**Ingestion:** Severe abdominal pain, nausea, vomiting, severe purging, hemorrhagic gastroenteritis, tenesmus, watery or bloody diarrhea, dehydration, weak pulse, fall in blood pressure, tachycardia, shock, collapse, coma and death may occur. May cause uterine cramps, bleeding. May cause abortion. Chronic: No Information

### First Aid Procedures

**Skin:** After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cover the irritated skin with an emollient. Seek medical attention.

**Eyes:** Flush eyes immediately with larged amounts of water or normal saline, occasionally lifting upper and lower lids until no evidence of chemical remains (approx. 15-20 minutes). Get medical attention immediately.

**Ingestion:** Delay absorption by giving tap water, milk or liquid petrolatum. Do not induce vomiting. Loosen tight clothing such as a collar, tie, belt or waistband. If victim is not breathing, perform CPR. Get medical attention immediately.

**Inhalation:** Remove to fresh air. If breathing stopped, give artificial respiration. Get immediate medical attention.

**Storage Recommendations:** Light sensitive. Store protected from light at room temperature.

### Special Protection Information

Employer should provide an eye wash fountain within the immediate work area for emergency use.

### Special Handling Precautions

Protective gloves, splash resistant safety goggles.