

MATERIAL SAFETY DATA SHEET

HIBICLENS

Delasco Dermatologic Lab & Supply, Inc.
608 13th Ave., Council Bluffs, IA 51501 1-712-323-3269
www.delasco.com questions@delasco.com
Date prepared: December 2010

The statements herein are offered for informational purposes only and are intended to be followed only by persons having related technical skills and at their own discretion and risk. Since conditions and manner of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.

Product/Chemical Name: HIBICLENS

Formula: N/A

Physical Description: Clear red liquid with perfume odor. Soluble in water. pH: 5-6.5

Special Hazards: Use local exhaust to keep exposures to a minimum.

Unusual Fire/Explosion Hazards: Considered a combustible liquid because of its flashpoint this product will quickly self-extinguish and will not support combustion.

Reactivity: Stable

Hazardous Decomposition Products: CO₂, CO, nitrogen oxides, ammonia.

Spill or Leak Procedures

Action: Mop up and rinse to a sewer serviced by a wastewater treatment facility.

Disposal Method: To be performed in compliance with all current local, state and federal regulations.

Threshold Limit Value: Isopropyl Alcohol 400 ppm 8-hour TWA, 500 ppm STEL

Overexposure Effects: Dizziness, allergic (contact) dermatitis, irritating to the eye.

Potential Carcinogen: N/A

First Aid Procedures

Skin: Wash off with soap and water. If redness, itching or burning sensation develops, get medical attention.

Eyes: Check for and remove any contact lenses. Immediately flush with plenty of water for at least 15 minutes. Seek medical attention immediately.

Ingestion: Check for and remove any dentures. Give 1-2 glasses of water to drink if GI symptoms develop, consult a physician.

Inhalation: Remove victim to fresh air. If not breathing give CPR. If breathing is labored, give oxygen. Consult medical personnel.

Special Protection Information

Use protective gloves and safety goggles when handling product.

Special Handling Precautions

Avoid vapors and temperatures above 104°F.