Page 1/9

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 11/13/24



Issue date 06/11/15

1 Identification

- · Product identifier
- · Trade name: Iron Stain Remover
- · Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- Product description Oxalic Acid 5% in water
- · Details of the supplier of the safety data sheet
- *Manufacturer/Supplier:* Dermatologic Lab & Supply, Inc.
 4001 E Plano Pkwy, Ste 100
 Plano, TX 75074
 Voice: (800) 831-6273 or (712)
 323-3269
 Fax: (800) 320-9612 or (712) 323-1156
 www.delasco.com
 Emergency telephone number: Chemtrec 800-424-9300

2 Hazard(s) identification

. Classification of the substance or mixture

GHS08 Health hazard

STOT RE 2 H373May cause damage to the central nervous system, the kidneys, the heart, the skin and the mucous membrane through prolonged or repeated exposure.



Skin Corr. 1A H314 Causes severe skin burns and eye damage.Eye Dam. 1H318 Causes serious eye damage.

- · Label elements
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Danger

2-12%

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Reviewed on 11/13/24

Trade name: Iron Stain Remover

· Hazard-determining components of labeling:

Oxalic acid dihydrate ·

Hazard statements

Causes severe skin burns and eye damage.

May cause damage to the central nervous system, the kidneys, the heart, the skin and the mucous membrane through prolonged or repeated exposure. • *Precautionary statements*

Do not breathe dusts or mists.

Wear eye protection / face protection.

Wash thoroughly after handling.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Wash contaminated clothing before reuse.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Get medical advice/attention if you feel unwell.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. · *Classification system:* NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme · *NFPA ratings (scale 0 - 4)*



Health = 2Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH12Health = *2FIREImage: Fire = 0REACTIVITYReactivity = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/information on ingredients

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous Components:

6153-56-6 Oxalic acid dihydrate

STOT RE 2, H373; Skin Corr. 1A, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312

* 4 First-aid measures

Description of first aid measures

· General information: Immediately remove any clothing soiled by the

product.

· After inhalation:

In case of unconsciousness, place patient securely on side position for transportation.

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.

· After skin contact:

Reviewed on 11/13/24

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Trade name: Iron Stain Remover

Immediately wash with water and soap and rinse thoroughly. If skin irritation occurs, consult a doctor.

• *After eye contact:* Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.

· After swallowing:

Do not induce vomiting without medical advice. Drink copious amounts of water and provide fresh air. Immediately call a doctor.

· Information for doctor:

• *Most important symptoms and effects, both acute and delayed:* No further relevant information available.

• *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

* 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

 CO_2 , extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. · *Special hazards arising from the substance or mixture* No further relevant information available. ·

Advice for firefighters Use water spray to cool unopened containers.

· Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid contact with skin, eyes and clothing.

Keep people at a distance and stay upwind.

Keep away from ignition sources

Do not inhale gases / fumes /aerosols

Wear protective equipment. Keep unprotected persons away.

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation. Dispose of the collected

material according to regulations.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

Precautions for safe handling

Keep away from heat and direct sunlight.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Trade name: Iron Stain Remover

Avoid contact with skin, eyes and clothing Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities Store away from strong bases, strong oxidizing agents, metals, acid chlorides and Alkali metals.
 Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

- Components with occupational exposure limits: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation of this SDS were used as basis.
- Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes. Avoid

contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Select glove material based on penetration times, rates of diffusion and degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Reviewed on 11/13/24

Trade name: Iron Stain Remover

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection:

Tightly sealed goggles -Body protection:



Protective work clothing

* 9 Physical and chemical properties

 Information on basic physical and chemical properties General Information · Appearance: 		
Form:	Liquid	
Color:	Clear, colorless	
· Odor:	Odorless	
Odor threshold:	Not determined.	
· pH-value @ 20 °C (68 °F):	< 3.0	
Change in condition		
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
 Flammability (solid, gaseous): 	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not self-igniting.	
 Danger of explosion: 	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	0.0 Vol %	
Upper:	0.0 Vol %	
 Vapor pressure @ 20 °C (68 °F): 	23 hPa (17 mm Hg)	
· Density:		
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
 Solubility in / Miscibility with 		
Water:	Fully miscible.	
Partition coefficient (n-octanol/water): Not determined.		
· Viscosity:		

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Reviewed on 11/13/24

Trade name: Iron Stain Remover

Dynamic: Kinematic: · Solvent content:	Not determined. Not determined.
Organic solvents: Water:	0.0 % 95.0 %
Solids content:	5.0 %
Other information	No further relevant information available.
* 10 Stability and reactivity	

• 10 Stability and reactivity

· *Reactivity* No further relevant information available.

- · Chemical stability Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: Strong bases, strong acids and strong oxidizing agents.
- · Hazardous decomposition products: Carbon Oxides.

* 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

6153-56-6 Oxalic acid dihydrate

Inhalative LC50/4 h 160 mg/l (Trout)

· Primary irritant effect: · on the skin: Strong caustic effect on skin

and mucous membranes.

· on the eye:

Strong irritant with the danger of severe eye injury.

Corrosive effect. Causes

serious eye irritation.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

None of the ingredients are listed.

• *NTP (National Toxicology Program)* Substance is not listed.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Reviewed on 11/13/24

Trade name: Iron Stain Remover

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

- Toxicity
- · Aquatic toxicity:

6153-56-6 Oxalic acid dihydrate

- EC50 137 mg/l (daphnia) (48 Hours)
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- *Bioaccumulative potential* No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material. Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number		
· DOT, ADR, ADN, IMDG, IATA	Non-Regulated Material	
· UN proper shipping name	-	
· DOT, ADR, ADN, IMDG, IATA	Non-Regulated Material	
Transport hazard class(es)	Ũ	
· DOT, ADR, ADN, IMDG, IATA		
- Class	Non-Regulated Material	
 Packing group 		
· DOT, ADR, IMDG, IATA	Non-Regulated Material	
Environmental hazards:	Not applicable.	
 Special precautions for user 	Not applicable.	
Transport in bulk according to Annex II of		
MARPOL73/78 and the IBC Code Not applicable. · UN		
"Model Regulation":-		
15 Regulatory information		

· Safety, health and environmental regulations/legislation specific for the substance or mixture

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Reviewed on 11/13/24

Trade name: Iron Stain Remover

· Sara	
· Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients are listed.	
· TSCA (Toxic Substances Control Act):	
7732-18-5 Water, distilled water, deionized water	
· California Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients are listed.	
· TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients are listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients are listed.	
 GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). 	

Hazard pictograms



GHS05 GHS08

· Signal word Danger

· Hazard-determining components of labeling:

Oxalic acid dihydrate ·

Hazard statements

Causes severe skin burns and eye damage.

May cause damage to the central nervous system, the kidneys, the heart, the skin and the mucous membrane through prolonged or repeated exposure.

· Precautionary statements

Do not breathe dusts or mists.

Wear eye protection / face protection.

Wash thoroughly after handling.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

90-99%

2-12%

Reviewed on 11/13/24

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Trade name: Iron Stain Remover

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Wash contaminated clothing before reuse.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Get medical advice/attention if you feel unwell.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

State Right to Know

7732-18-5 Water, distilled water, deionized water

6153-56-6 Oxalic acid dihydrate

♦ STOT RE 2, H373; < Skin Corr. 1A, H314; Eye Dam. 1, H318; <a>Acute Tox. 4, H30; Acute Tox. 4, H312

All ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision

06/11/15 - 11/13/2024

Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106