Safety Data Sheet

Section 1. Identification	
Product Identification and Item Numbers:	Jessner's Solution (JS/1, JS, JS/4, JS/PT)
Product Description:	Alcoholic solution of resorcinol, salicylic acid, and lactic acid
Recommended use and restrictions on use:	N/A
Supplier:	Delasco 4001 E Plano Pkwy, Ste 100 Plano, TX 75074 1-712-323-3269 <u>www.delasco.com</u> <u>guestions@delasco.com</u>
In Case of Emergency, Contact:	Chemtrec (24 hour) 1-800-424-9300
Section 2 Hazard(s) Identification	

Section 2. Hazard(S)	Identification			
Classification:				
Flammable Liquid (Ca	tegory 2)			
Eye Irritant (Category	Eye Irritant (Category 2)			
Eye Damage (Categor	ry 1)			
Acute Tox. (Category	4)			
Skin Irritant (Category	r 2)			
Skin Corrosion (Categ	jory 1B)			
Skin Sens. (Category	1B)			
Aquatic Acute (Catego	ory 1)			
Aquatic Chronic (Cate	gory 3)			
Labeling:				
Hazard symbol(s):	GHS09: environment	GHS02: flame	GHS07: exclamation mark	GHS05: corrosive
Signal word:	Danger!			
Hazard statements:				
H225: Highly flammab	le liquid and vapor.			
H301: Toxic if swallow	ved.			
H302: Harmful if swall	H302: Harmful if swallowed.			
H311: Toxic in contact	H311: Toxic in contact with skin.			
H315: Causes skin irritation.				
H317: May cause an a	allergic skin reaction.			
H318: Causes serious	s eye damage.			
H319: Causes serious	eye irritation.			
H331: Toxic if inhaled				
H370: Causes damage to organs. Affected organs: CNS and blood effects. Route of exposure: Oral				
H371: May cause dam	hage to the respiratory	v system, via oral bol	us dosing. Affected organs:	Respiratory effects.
Route of exposu	Route of exposure: Oral			
H400: Very toxic to aquatic life.				
H412: Harmful to aquatic life with long lasting effects.				
Precautionary staten	nents:			
P210: Keep away from heat/sparks/open flames//hot surfaces No smoking.				
P233: Keep container tightly closed.				
P240: Ground/bond container and receiving equipment.				
P241: Use explosion-proof electrical/ventilating/lighting/. / equipment.				
P242: Use only non-sparking tools.				
P243: Lake precautionary measures against static discharge.				
P260: Do not preathe dust/tume/gas/mist/vapours/spray. P264: Wash bands thoroughly after bandling				
P264: wash hands the	oroughly after handling	J.		



Local & International: 1-712-323-3269 24-Hour Fax: 1-712-323-1156 Website: <u>www.delasco.com</u> Email: <u>questions@delasco.com</u> P270: Do no eat, drink or smoke when using this product. P272: Contaminated work clothing should not be allowed out of the workplace. P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor/.../if you feel unwell. P302+P352: IF ON SKIN: Wash with plenty of water/... P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P307+P311: IF exposed: Call a POISON CENTER or doctor/physician. P333+P313: If skin irritation or rash occurs: Get medical advice/attention. P337+P313: If eye irritation persists: Get medical advice/attention. P362: Take off contaminated clothing. P370+P378: In case of fire: Use dry chemical, alcohol foam, all purpose AFFF, carbon dioxide or water spray for extinction. P391: Collect spillage. P403+P235: Store in a well-ventilated place. Keep cool.

Section 3. Composition/Information on Ingredients

Chemical Name and Concentration:	Ethyl Alcohol, anhydrous, 58% w/v Salicylic Acid, 14% w/v Resorcinol, 14% w/v Lactic Acid, 14% w/v
Other Names, Common Names, Synonyms:	N/A
CAS Number, other unique identifiers:	Mixture:Ethyl Alcohol, anhydrousCAS# 64-17-5Salicylic AcidCAS# 69-72-7ResorcinolCAS# 108-46-3Lactic AcidCAS# 50-21-5
Other classified impurities or stabilizers:	N/A
Other ingredients posing health hazards:	N/A
Concentration of other hazardous ingredients:	N/A

Section 4. First-aid Measures		
Inhalation exposure:	Move the exposed person to fresh air at once. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.	
Skin exposure:	Flush the contaminated skin with water promptly. Cover the irritated skin with an emollient. Remove contaminated clothing and shoes. Get medical attention.	
Eye contact:	Check for and remove contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.	
Ingestion:	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing, such as a collar, tie, belt or waistband. Get medical attention immediately.	



Section 5. Fire Fighting Measures		
Suitable / unsuitable	SMALL FIRE: Dry chemical, CO2, water spray or alcohol-resistant foam.	
extinguishing media:	LARGE FIRE: Water spray, fog or alcohol-resistant foam. Do not use straight streams.	
Specific hazards /	HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames.	
combustion products:	 Carbon monoxide is produced during combustion. 	
	 Vapors may travel to source of ignition and flash back. 	
	Most vapors are heavier than air. They will spread along ground and collect in low	
	or confined areas (sewers, basements, tanks).	
	 Vapor explosion hazard indoors, outdoors or in sewers. 	
	Containers may explode when heated.	
	May produce a floating fire hazard.	
	 Static ignition hazard can results from handling and use. 	
Special protective	CAUTION: Very low flash point: Use of water spray when fighting fire may be inefficient.	
equipment and	 Wear positive pressure self-contained breathing apparatus (SCBA). 	
precautions for fire-	 Wear protective clothing to prevent contact with skin and eyes. 	
fighters:	 Keep unopened containers cool by spraying with water. 	
	 Inhalation or contact with material may irritate or burn skin and eyes. 	
	 Fire may produce irritating, corrosive and/or toxic gases. 	
	 Vapors may cause dizziness or suffocation. 	
NFPA Hazard	Health – 3 0-Minimal	
Classification	Flammability – 3 1-Slight	
	Instability – 0 2-Moderate	
	3-Serious	
	4-Severe	

Section 6. Accidental Release Measures		
Personal precautions and protective equipment:	 Do not inhale vapors, mist or gas. Ensure adequate ventilation. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. 	
Environmental Precautions:	 Stop leak if you can do it without risk. Prevent entry into drains, waterways, sewers, basements or confined areas. 	
Containment / clean up methods:	 Highly flammable. Eliminate all sources of ignition. All equipment used when handling the product must be grounded. A vapor suppressing foam may be used to reduce vapors. Do not touch or walk through spilled material. Contain spillage, and then collect with non-combustible absorbent material (e.g., sand, earth, diatomaceous earth, vermiculite), and place in container for disposal according to local / national regulations. Use clean non-sparking tools to collect absorbed material. 	

Section 7. Handling and Storage		
Precautions for safe handling:	Do not get on skin or in eyes. Do not inhale vapor or mist. Keep away from sources of ignition. No smoking. Take measures to prevent the buildup of electrostatic change. Open and handle container with care. Metal containers involved in the transfer of this material should be grounded and bonded.	
Conditions for safe storage:	Keep tightly closed in a cool, dry, well ventilated place. Keep upright to prevent leakage. Keep away from flame. Protect containers against physical damage.	
Incompatibilities to avoid:	Do not store with oxidizing agents.	



Section 8. Exposure	Section 8. Exposure Controls and Personal Protection	
OSHA Permissible Exposure Limit (PEL):	<u>Ethano</u> l: 1000 ppm / 1,900 mg/m3 (TWA) 3300 ppm (IDHL)	
	Resorcinol: TWA: 10 STEL: 20 (ppm) from OSHA (PEL) TWA: 45 STEL: 90 (mg/m3) from OSHA (PEL)	
Threshold Limit Value (TLV):	<u>Ethano</u> l: 1000 ppm (STEL)	
	Resorcinol: TWA: 45 STEL: 90 (mg/m3) from ACGIH (TLV) TWA: 10 STEL: 20 (ppm) from ACGIH (TLV)	
Other exposure limits:	Ethanol: NIOSH REL: 1000 ppm (1,900 mg/m ³) TWA (Ethanol) LEL: 3.3% (10% LEL: 3,300 ppm) (Ethanol) Original (SCP) IDLH: 15,000 ppm (Ethanol) Revised IDLH: 3,300 ppm [LEL] (Ethanol)	
	Resorcinol: TWA: 10 STEL: 20 from NIOSH TWA: 45 STEL: 90 (mg/m3) from NIOSH	
Engineering controls:	Use local exhaust ventilation, fume hood or other means of adequate ventilation.	
Personal protective equipment:	Respiratory Protection When necessary, use an approved/certified respirator for respiratory protection. Multi- purpose combination respirator cartridges may be used as a backup to engineering controls (ventilation).	
	Eye Protection Wear appropriate eye protection to prevent eye contact. Splash goggles recommended.	
	Skin Protection Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Wear other appropriate personal protective clothing to prevent skin contact. Immediately wash the skin when it becomes contaminated. Work clothing that becomes wet should be immediately removed due to its flammability hazard.	
Other personal protection measures:	Provide nearby eyewash station and safety shower.	

Section 9. Physical and Chemical Properties		
Appearance (physical state, color, etc.):	Thin, clear, peach colored liquid.	
Odor:	Ethanol odor.	
Odor threshold:	Data not available	
pH:	Acidic	
Melting point / freezing point:	Data not available for this mixture.	
Initial boiling point and boiling range:	Data not available for this mixture.	
Flash point:	12°C (Ethanol)	
Evaporation rate:	Data not available for this mixture.	
Flammability	Data not available for this mixture.	
Upper / lower flammability or explosive limits:	Lower explosion limit: 3.3% Upper explosion limit: 19% (Ethanol)	
Vapor Pressure:	Data not available for this mixture.	



Local & International: 1-712-323-3269 24-Hour Fax: 1-712-323-1156 Website: <u>www.delasco.com</u> Email: <u>questions@delasco.com</u>

Vapor density:	Data not available for this mixture.
Relative density:	Data not available for this mixture.
Solubility:	Data not available for this mixture.
Partition coefficient: n-octanol/water:	Data not available for this mixture.
Auto-ignition temperature:	363-426 °C / 685.4-798.8 °F (Ethanol)
Decomposition temperature:	Data not available for this mixture.
Viscosity:	Data not available for this mixture.

Section 10. Stability and Reactivity		
Chemical stability:	The product is stable.	
Possibility of hazardous	<u>Ethano</u> l:	
reactions:	Vapors may form explosive mixtures with air.	
	Resorcinol:	
	Incompatible with acetanilide, albumin, alkalis, antipyrine, camphor, ferri salts, menthol,	
	spirit nitrous ether, urethane, periodate.	
	Lactic Acid:	
	Reactive with oxidizing agents, alkalis.	
	Salicylic Acid:	
	Reactive with oxidizing agents.	
Conditions to avoid	Protect containers against physical damage, heat, ignition sources.	
(static, shock,		
vibration)		
Incompatible materials:	Should not be stored with oxidizing agents, alkalis.	
Hazardous	Carbon oxides. Carbon dioxide. When heated to decomposition it emits acrid smoke and	
decomposition products:	irritating fumes (Ethanol).	

Section 11. Toxicologi	cal Information
Routes of exposure:	Ingestion, inhalation, skin and/or eye contact.
Acute Symptoms (acute):	 Ingestion, inhalation, skin and/or eye contact. Inhalation: Ethanol: May cause central nervous system effects characterized by nausea, headache, dizziness, unconsciousness and coma. Causes respiratory tract irritation. May cause narcotic effects in high concentration. Vapors may cause dizziness or suffocation. <u>Resorcinol</u>: Causes respiratory tract and mucous membrane irritation. <u>Salicylic Acid</u>: Inhalation of dust can cause respiratory tract irritation, coughing, sneezing, and shortness of breath/rapid breathing. <u>Lactic Acid</u>: Eye Contact <u>Ethanol</u>: Transient pain, irritation, and reflex lid closure. A foreign-body sensation may persist for one to two days. Vapors produce transient stinging and tearing, but no apparent adverse effects. Causes eye irritation and temporary injury. <u>Resorcinol</u>: Causes eye irritation, temporary injury. <u>Lactic Acid</u>: Causes eye irritation, temporary injury. <u>Lactic Acid</u>: Causes eye irritation and possible burns. May cause chemical conjunctivitis and corneal damage. Inhalation: Causes evere respiratory tract and mucous membrane irritation with possible burns. Inhalation may be fatal as a result of spasm, inflammation, edema of the larynx and bronchi, chemical pneumonitis and pulmonary edema. Aspiration may lead to pulmonary edema. Other symptoms may include shortness of breath, coughing, and sore throat. Skin Contact: <u>Ethanol</u>: Irritating to skin. May cause dermatitis by de-fatting the skin from prolonged or repeated contact. <u>Resorcinci</u>: Mildly to moderately irritating to the skin. May be absorbed through the skin and affect metabolism (loss of appetite and weight loss) <u>Salicylic Acid</u>: Can cause mild skin irritation. It may be a



Local & International: 1-712-323-3269 24-Hour Fax: 1-712-323-1156

	 Lactic Acid: Causes severe skin irritation. Possible burns or ulcerations upon prolonged overexposure. May cause skin rash (in milder cases). It may be absorbed by the skin. Ingestion: <u>Ethanol</u>: May cause gastrointestinal irritation with nausea, vomiting and diarrhea. May cause systemic toxicity with acidosis. May cause central nervous system depression, characterized by excitement, followed by headache, dizziness, drowsiness, and nausea. Advanced stages may cause collapse, unconsciousness, coma and possible death due to respiratory failure. Resorcinol: Harmful if swallowed. May cause gastrointestinal irritation. May affect the blood, respiration, behavior/central nervous system, peripheral nervous system, cardiovascular system, liver, and kidneys. <u>Salicylic Acid</u>: May be harmful if swallowed in large amounts. Causes irritation of the gastrointestinal tract (nausea, vomiting abdominal pains). Ingestion of a sizable amount cause "Salicylism" as evidenced by nausea, abdominal pain, vomiting, hyperpnea (increased deep breathing) ro tachypnea (rapid shallow breaths), ringing in the ears/difficulty hearing, dimness of vision, sweating, thrist, skin erruptions, and alteration in the acid-base balance (metabolic acidosis). Severe salicylate intoxication may also affect behavior/central nervous system with symptoms such as muscle weakness, general depressed activity (somnolence), sleepiness, tremor, confusion, dizziness, agitation, irritability, disorientation, slurred speech, ataxia, restlessness, hyperactivity, hallucinations, convulsions, central nervous system depression, coma. It may also affect the cardiovascular system (hypotension, increased or decreased heart rate, dysrthymias), liver. Fatalities resulting from respiratory.
Symptoms (chronic):	Ingestion:
Chronic effects from	Resorcinol: May affect the endocrine system (adrenal glad, thymus, thyroid), liver,
exposure:	kidneys, and metabolism (weight loss). Salicylic Acid: May cause kidney damage, liver damage, damage to stomach
	involuntary shaking, anemia, internal bleeding, and other symptoms similar to
	acute ingestions. The pancreas may also be affected by prolonged ingestion of
	salicylic acid.
	Inhalation: Not available
	Skin:
	Resorcinol: Prolonged or repeated skin contact may cause dermatitis, an allergic
	skin reaction.
	Lactic Acid: Prolonged or repeated skin contact/absorption may affect the brain,
	Fyes: Not available
	 Ethanol (general): May cause reproductive and fetal effects. Laboratory
	experiments have resulted in mutagenic effects. Animal studies have reported the
	development of tumors. Prolonged exposure may cause liver, kidney, and heart
	uarnage. Long term exposure can cause loss of appetite, weight loss,
	Resorcinol (general): Possible hypersensitization.
	Salicylic Acid (general): Possible hypersensitization.

Delasco

Numerical measures of	Lethal concentration data (Ethanol):							
toxicity (e.g., acute toxicity estimates):	LC ₅₀ LC _{Lo} Adjusted 0.5-hr Derived		Derived					
	Species	Reference	(ppm)	(ppm)	Time	LC (C	F)	value
	Rat	NPIRI 1974	20,000		10 hr	54,200) ppm (2.71)	5,420 ppm
	Mouse	Tiunov et al. 1982	20,363		4 hr	40,727	7 ppm (2.0)	4,073 ppm
	Lethal dose data (Ethanol):							
	Species	Reference	Route	LD ₅₀ (mg/kg	LC) (m) _{∟₀} ıg/kg)	Adjusted LD	Derived value
	Mouse	Savchenkov 1967	oral	3,450			12,611 ppm	1,261 ppm
	Rat	Wiberg et al. 1970	oral	7,060			25,807 ppm	2,581 ppm
Other animal data (Ethanol): RD ₅₀ (mouse), 27,314 ppm [Alarie 1981].								
	Salicylic Acid: Acute oral toxicity (LD50): 200 mg/kg [Mouse]. 202 mg/kg [Rat] Acute oral toxicity (LD50): 3360 mg/kg [Rabbit]. LDL (Lowest Lethal Dose) [Human] - Route: oral; Dose: 29 mg/kg Salicylic Acid: Acute toxicity of the dust (LC50): 900 mg/m3 1 hours [Rat]. Lactic Acid: Acute oral toxicity (LD50): 3543 mg/kg [Rat].							
NTP carcinogen:	<u>Ethanol</u> : Not classifiable as a human carcinogen. <u>Resorcinol</u> : Classified 4 (No evidence) by NTP. <u>Salicylic Acid</u> : Not available <u>Lactic Acid</u> : Not available							
EPA carcinogen:	Ethanol: Not available <u>Resorcinol</u> : Not available <u>Salicylic Acid</u> : Not available <u>Lactic Acid</u> : Not available							
ACGIH carcinogen:	<u>Ethano</u> l: Not classifiable as a human carcinogen. <u>Resorcino</u> l: A4 (Not classifiable for human or animal) by ACGIH. <u>Salicylic Acid</u> : Not available <u>Lactic Acid</u> : Not available							
IARC potential carcinogen:	<u>Ethano</u> l: Not classifiable as a human carcinogen. <u>Resorcinol</u> : 3 (Not classifiable for human) by IARC <u>Salicylic Acid</u> : Not available <u>Lactic Acid</u> : Not available							
OSHA carcinogen:	Ethanol: Not classifiable as a human carcinogen. Resorcinol: Not available Salicylic Acid: Not available Lactic Acid: Not available							



Section 12. Ecological Information (Non-mandatory)			
Ecotoxicity (aquatic and	Ethanol:		
terrestrial, where	Acute Fish Toxicity (Ethanol)		
available):	LC50 / 96 HOUR Oncorhynchus mykiss (rainbow trout) > 10,000 mg/l		
,	LC50 / 96 HOUR Pimephales promelas (fathead minnow) > 13,400 mg/l		
	Toxicity to aquatic plants (Ethanol)		
	Growth inhibition / 96 HOURS Chlorella vulgaris (Fresh water algae) 1,000 mg/l		
	Toxicity to microorganisms (Ethanol)		
	Toxicity Threshold / Pseudomonas putida 6,500 mg/l		
	Summary: Inhibition of cell multiplication begins.		
	Resorcinol:		
	Ecotoxicity in water (LC50):		
	1.1-72 mg/l 72 hours [Algae (Chlorella pyrenoidosa)].		
	36-100 mg/l 96 hours [Fish (Pimephales promelas)].		
	34.7 mg/l 96 hours [Fish (Leuciscus idus)].		
	>100 mg/l 96 hours [Fish (Oncorhynchus mykiss)].		
	78 mg/l 48 hours [Daphnia (daphnia magna)].		
	Salicylic Acid: Not available		
	Lactic Acid: Not available		
Persistence and	Ethanol: Biodegradation is expected.		
degradability:	Resorcinol: Not available		
	Salicylic Acid: Not available		
	Lactic Acid: Not available		
Bioaccumulative	Ethanol: Bioaccumulation is unlikely.		
potential:	Resorcinol: Not available		
	Salicylic Acid: Not available		
	Lactic Acid: Not available		
Mobility in soil:	Ethanol: Not available		
	Resorcinol: Not available		
	Salicylic Acid: Not available		
	Lactic Acid: Not available		
Other adverse effects:	Ethanol: Not available		
	Resorcinol: Not available		
	Salicylic Acid: Not available		
	Lactic Acid: Not available		

Section 13. Disposal Considerations (Non-mandatory)

Safe methods of disposal: Dispose of in accordance with federal, state and local environmental control regulations.

Section 14. Transport Information (Non-mandatory)						
US DOT UN number: UN1992	Class: 3, 6.1 Packing Group: III					
UN proper shipping name:	Flammable liquids, toxic, n.o.s., (Ethanol, Resorcinol)					
Packing group, if applicable:						
Environmental hazards (marine pollutant,	Not available					
etc)						
Special transport precautions:	N/A					

Section 15. Regulatory Information (Non-mandatory)			
Specific safety, health, and environmental regulations:	N/A		

Section 16. Other information Date of preparation or last revision:

11/13/2024

