Page 1/11

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 11/13/24



Issue date 06/11/15

Identification

- · Product identifier
- · Trade name: Lacto Phenol Cotton Blue
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Product description Lacto phenol cotton blue mounting fluid
- · Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Dermatologic Lab & Supply, Inc. 4001 E Plano Pkwy, Ste 100 Plano, TX 75074 Voice: (800) 831-6273 or (712) 323-3269 Fax: (800) 320-9612 or (712) 323-1156 www.delasco.com · Emergency telephone number: Chemtrec 800-424-9300

* 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Muta. 2 H341 Suspected of causing genetic defects.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. Eye Dam. 1



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

STOT SE 3 H335 May cause respiratory irritation.

H227Combustible liquid.

Flam. Liq. 4 · Label elements

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Reviewed on 11/13/24

Trade name: Lacto Phenol Cotton Blue

Hazard pictograms

· Signal word Danger

· Hazard-determining components of labeling:

Phenol

Lactic Acid

Hazard statements

Combustible liquid.

Harmful if swallowed or if inhaled.

Causes severe skin burns and eye damage.

Suspected of causing genetic defects.

May cause respiratory irritation. May cause damage to organs through

prolonged or repeated exposure.

· Precautionary statements

Keep away from flames and hot surfaces. - No smoking.

Do not breathe dusts or mists.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves / eye protection / face protection.

Wear eye protection / face protection.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

If swallowed: Call a poison center/doctor if you feel unwell.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Wash contaminated clothing before reuse.

IF exposed or concerned: Get medical advice/attention.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Get medical advice/attention if you feel unwell.

In case of fire: Use for extinction: CO2, powder or water spray.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme · NFPA ratings (scale 0 - 4)

Health = 3Fire = 2Reactivity = 0

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Reviewed on 11/13/24

Trade name: Lacto Phenol Cotton Blue



HEALTH

FIRE

HMIS-ratings (scale 0 - 4)

Health = *3Fire = 2 Reactivity = 0

(Contd. on page

REACTIVITY 0 3 Composition/information on ingredients

· Hazard(s) not otherwise classified (HNOC): None known

3)

- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous Components:

*3

2

CAS: 108-95-2	Phenol	15-35%
RTECS: SJ 3325000	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; 🗞 Muta. 2,	
	H341; STOT RE 2, H373; 🔗 Skin Corr. 1B, H314	
CAS: 50-21-5	Lactic Acid	15-35%
RTECS: OD 2800000	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist. In case of unconsciousness, place patient securely on side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

• *After eye contact:* Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Do not induce vomiting without medical advice.

Immediately call a doctor. Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

* 5 Fire-fighting measures

· Extinguishing media

• **Suitable extinguishing agents:** CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture
- Combustible liquid. Vapors can travel to a source of ignition and flash back. Explosive mixtures may occur at temperatures at or above flashpoint.
- Advice for firefighters Use water spray to cool unopened containers.
- Protective equipment:

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Reviewed on 11/13/24

Trade name: Lacto Phenol Cotton Blue

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

* 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
 Ensure adequate ventilation
 Avoid contact with skin, eyes and clothing.
 Keep people at a distance and stay upwind.
 Keep away from ignition sources

Do not inhale gases / fumes /aerosols Treat any fumes as toxic. Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation. Dispose of the collected

material according to regulations.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

* 7 Handling and storage

· Handling:

Precautions for safe handling

Keep away from heat and direct sunlight.

Avoid contact with skin, eyes and clothing

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: Protect from heat.

- Conditions for safe storage, including any incompatibilities Store away from strong acids, strong bases, strong oxidizing agents and strong reducing agents.

strong bases, strong oxidizing agents and strong reducing agents.

- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Reviewed on 11/13/24

Trade name: Lacto Phenol Cotton Blue

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

· Con	nponents with occupational exposure limits:		
56-8	56-81-5 Glycerol		
PEL	Long-term value: 15* 5** mg/m ³ mist; *total dust **respirable fraction		
TLV	TLV withdrawn-insufficient data human occup. exp.		
108-	95-2 Phenol		
PEL	Long-term value: 19 mg/m³, 5 ppm Skin		
REL	Long-term value: 19 mg/m³, 5 ppm Ceiling limit value: 60* mg/m³, 15.6* ppm *15- min; Skin		
TLV	Long-term value: 19 mg/m³, 5 ppm Skin; BEI		
· Ingr	· Ingredients with biological limit values:		
108-	95-2 Phenol		
BEI	250 mg/g creatinine urine end of shift Phenol with hydrolysis (background, nonspecific)		

· Additional information: The lists that were valid during the creation of this SDS were used as basis.

Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes. Avoid

contact with the eyes and skin. ·

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Select glove material based on penetration times, rates of diffusion and degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Reviewed on 11/13/24

Trade name: Lacto Phenol Cotton Blue

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection:

Tightly sealed goggles - Body protection:



* 9 Physical and chemical properties

 Information on basic physical and ch General Information · Appearance: 	emical properties
Form:	Syrupy liquid
Color:	Clear, colorless
· Odor:	Sweet, tarry, penetrating
Odor threshold:	Not determined.
· pH-value:	< 4.0
Change in condition	
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	82 °C (180 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	400 °C (752 °F)
• Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
 Danger of explosion: 	Not determined.
Explosion limits:	
Lower:	0.0 Vol %
Upper:	9.5 Vol %
 Vapor pressure @ 20 °C (68 °F): 	23 hPa (17 mm Hg)
· Density @ 20 °C (68 °F):	1.158 g/cm ³ (9.664 lbs/gal)
· Relative density	Not determined.
 Vapor density 	Not determined.
 Evaporation rate 	Not determined.
Solubility in / Miscibility with	– 11 – 11 – 11 – 11 – 11 – 11 – 11 – 1
Water:	Fully miscible.
 Partition coefficient (n-octanol/water) Viscosity: 	<i>:</i> Not determined.
Dynamic:	Not determined.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Reviewed on 11/13/24

Trade name: Lacto Phenol Cotton Blue

Kinematic: · Solvent content:	Not determined.
Organic solvents:	62.0 %
Water:	18.0 %
VOC content:	22.0 %
Solids content:	22.0 %
Other information	No further relevant information available.

* 10 Stability and reactivity

- Reactivity No further relevant information available.
- · Chemical stability Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong acids, strong bases, strong oxidizng agents and strong reducing agents.
- · Hazardous decomposition products: Carbon Oxides.

* 11 Toxicological information

Information on toxicological effects

Acute toxicity:

· LD/LC50 values that are relevant for classification:

56-81-5 Glycerol

	•	
Oral	LD50	12600 mg/kg (rat)
Dermal	LD50	>10000 mg/kg (rabbit)
Inhalative	LC50/96 hours	>50.000 mg/l (Trout)

108-95-2 Phenol

Oral	LD50	317 mg/kg (rat)
Dermal	LD50	850 mg/kg (rabbit)

· Primary irritant effect: · on the skin: Strong caustic effect on skin

and mucous membranes.

on the eye:

Strong irritant with the danger of severe eye injury. Corrosive effect. Causes serious eye irritation.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic categories

- · IARC (International Agency for Research on Cancer)
- Group 1 Carcinogenic to humans
- Group 2A Probably carcinogenic to humans
- Group 2B Possibly carcinogenic to humans
- Group 3 Not classifiable as to its carcinogenicity to humans

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Trade name: Lacto Phenol Cotton Blue

Group 4 - Probably not carcinogenic to humans

108-95-2 Phenol

• *NTP (National Toxicology Program)* Substance is not listed.

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

* 12 Ecological information

- *Toxicity* The hazards for the aquatic environment are unknown.
- · Aquatic toxicity: No further relevant information available. ·
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information

available. · Mobility in soil No further relevant information available. ·

Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods ·

Recommendation:

.

Observe all federal, state and local environmental regulations when disposing of this material. Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
 DOT, ADR, ADN, IMDG, IATA UN proper shipping name 	Non-Regulated Material	
 DOT, ADR, ADN, IMDG, IATA Transport hazard class(es) 	Non-Regulated Material	
· DOT, ADR, ADN, IMDG, IATA		
 Class Packing group 	Non-Regulated Material	
· DOT, ADR, IMDG, IATA	Non-Regulated Material	
 Environmental hazards: 	Not applicable.	
 Special precautions for user 	Not applicable.	
 Transport in bulk according to Anne 	ex II of	

Reviewed on 11/13/24

3

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Reviewed on 11/13/24

Trade name: Lacto Phenol Cotton Blue

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation":

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
 Sara
- · Section 355 (extremely hazardous substances):

108-95-2 Phenol

· Section 313 (Specific toxic chemical listings):

108-95-2 Phenol

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- California Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)	
108-95-2 Phenol	D, I
· TLV (Threshold Limit Value established by ACGIH)	
108-95-2 Phenol	A4
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients are listed.	
. GHS label elements The product is classified and labeled according to the Globally	

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Reviewed on 11/13/24

Trade name: Lacto Phenol Cotton Blue



· Signal word Danger

Hazard-determining components of labeling:

Phenol Lactic Acid

· Hazard statements

Combustible liquid.

Harmful if swallowed or if inhaled.

Causes severe skin burns and eye damage.

Suspected of causing genetic defects.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

Keep away from flames and hot surfaces. - No smoking.

Do not breathe dusts or mists.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves / eye protection / face protection.

Wear eye protection / face protection.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

If swallowed: Call a poison center/doctor if you feel unwell.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Wash contaminated clothing before reuse.

IF exposed or concerned: Get medical advice/attention.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Get medical advice/attention if you feel unwell.

In case of fire: Use for extinction: CO2, powder or water spray.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

State Right to Know

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Reviewed on 11/13/24

Trade name: Lacto Phenol Cotton Blue

CAS: 56-81-5 RTECS: MA 8050000	Glycerol	25-50%
CAS: 108-95-2 RTECS: SJ 3325000	Phenol Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Muta. 2, H341; STOT RE 2, H373; Skin Corr. 1B, H314	15-35%
CAS: 50-21-5 RTECS: OD 2800000	Lactic Acid Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	15-35%
CAS: 7732-18-5	Water, distilled water, deionized water	15-35%
56-81-5 Glycerol		40%

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision

06/11/15 - 11/13/24

· Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Liq. 4: Flammable liquids, Hazard Category 4 Acute Tox. 3: Acute toxicity, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Muta. 2: Germ cell mutagenicity, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 · * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106