Page 1/10

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 11/13/24



Issue date 06/11/15

1 Identification

- · Product identifier
- · Trade name: Lugol's Solution
- Relevant identified uses of the substance or mixture and uses advised against
 No further relevant information available.
- · Product description Potassium Iodide USP 10%, Iodine USP 5%, in purified water
- · Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Dermatologic Lab & Supply, Inc. 4001 E Plano Pkwy, Ste 100 Plano, TX 75074 Voice: (800) 831-6273 or (712) 323-3269 Fax: (800) 320-9612 or (712) 323-1156 www.delasco.com

Emergency telephone number: Chemtrec 800-424-9300

* 2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



Signal word Warning
 Hazard statements
 Causes skin irritation.
 Causes serious eye irritation.
 Precautionary statements

(

Reviewed on 11/13/24

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Trade name: Lugol's Solution

Wear protective gloves.
Wear eye protection / face protection.
Wash thoroughly after handling.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
If on skin: Wash with plenty of water.
Take off contaminated clothing and wash it before reuse.
Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

· NFPA ratings (scale 0 - 4)



Health = 1 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

 HEALTH
 I
 Health = 1

 FIRE
 I
 Fire = 0

 REACTIVITY
 I
 Reactivity = 0

· Hazard(s) not otherwise classified (HNOC): None known

* 3 Composition/information on ingredients

· Description: Mixture of substances listed below with nonhazardous additions.

	· Dangerous Components:			
	CAS: 7681-11-0	Potassium lodide	5-10%	
	RTECS: TT 2975000	🚸 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319		
	CAS: 7553-56-2	lodine	2-12%	
	RTECS: NN 1575000	🕸 Aquatic Acute 1, H400; 🚸 Acute Tox. 4, H312; Acute Tox. 4, H332		
* 4 First-aid measures				

· Description of first aid measures

· After inhalation:

*

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist. In case of unconsciousness, place patient securely on side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation occurs, consult a doctor.

• *After eye contact:* Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Do not induce vomiting without medical advice. Consume large amounts of water. If symptoms persist, consult a physician.

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed: No further relevant information available.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Reviewed on 11/13/24

Trade name: Lugol's Solution

• *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

• 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • *Special hazards arising from the substance or mixture* No further relevant information available. • *Advice for firefighters* Use water spray to cool unopened containers.

· Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid contact with skin, eyes and clothing.

Keep people at a distance and stay upwind.

Do not inhale gases / fumes /aerosols ·

Environmental precautions:

Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation. Dispose of the collected

material according to regulations.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Keep away from heat and direct sunlight.

Avoid contact with skin, eyes and clothing

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

Rubber, Plastics, Iron and Iron salts., Sulphur compounds, Ammonia, Magnesium, Zinc, Aluminum, Metals, Alkalis, Antimony salts, Arsenites, Halogens, Thiocyanates, Ferrous salts, Hypophosphites, morphine salts, oils, Creosote, Phosphates, Tannins, Tartrates, Antimony, Ammonia, Acetaldehyde, Acetylene, Acetaldehyde, strong oxidizing agents, strong acids, strong reducing agents, Nickel and its alloys, Steel (all types and surface treatments), Alkali metals, Brass, Alkaline Earth metals, Cadmium and Copper.

Storage:

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Reviewed on 11/13/24

Trade name: Lugol's Solution

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

· Components with occupational exposure limits:

7681-11-0 Potassium lodide

TLV Long-term value: 0.01* ppm *as inhalable fraction and vapor

7553-56-2 lodine

- PEL Ceiling limit value: 1 mg/m³, 0.1 ppm
- REL Ceiling limit value: 1 mg/m³, 0.1 ppm
- TLV Short-term value: 1 mg/m³, 0.1^{**} ppm Longterm value: 0.1^{*} mg/m³, 0.01^{*} ppm *as inhalable fraction and vapor;**vapor

· Additional information: The lists that were valid during the creation of this SDS were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Select glove material based on penetration times, rates of diffusion and degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the

Reviewed on 11/13/24

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Trade name: Lugol's Solution

resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material


The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection:



Tightly sealed goggles ·

Body protection:



* 9 Physical and chemical properties

 Information on basic physical and chemical properties General Information · Appearance: 						
 General momation Appearance. Form: Color: Odor: Odor threshold: 	Liquid Dark Odorless Not determined.					
· pH-value:	Not determined.					
· Change in condition						
Melting point/Melting range: Boiling point/Boiling range: · Flash point:	 100 °C (212 °F) Not applicable.					
 Flammability (solid, gaseous): 	Not applicable.					
Ignition temperature:						
Decomposition temperature:	Not determined.					
· Auto igniting:	Product is not self-igniting.					
Danger of explosion:	Product does not present an explosion hazard.					
· Explosion limits:						
Lower: Upper:	0.0 Vol % 0.0 Vol %					
 Vapor pressure @ 20 °C (68 °F): 	23 hPa (17 mm Hg)					
· Density @ 20 °C (68 °F):	1.41 g/cm ³ (11.766 lbs/gal)					
 Relative density Vapor density Evaporation rate 	Not determined. Not determined. Not determined.					
 Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water) 	Fully miscible. <i>:</i> Not determined.					

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

. ..

Reviewed on 11/13/24

Trade name: Lugol's Solution

 Viscosity: 	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
Water:	85.0 %
Solids content:	15.0 %
Other information	No further relevant information available.

* 10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

· Incompatible materials:

Rubber, Plastics, Iron and Iron salts., Sulphur compounds, Ammonia, Magnesium, Zinc, Aluminum, Metals, Alkalis, Antimony salts, Arsenites, Halogens, Thiocyanates, Ferrous salts, Hypophosphites, morphine salts, oils, Creosote, Phosphates, Tannins, Tartrates, Antimony, Ammonia, Acetaldehyde, Acetylene, Acetaldehyde, strong oxidizing agents, strong acids, strong reducing agents, Nickel and its alloys, Steel (all types and surface treatments), Alkali metals, Brass, Alkaline Earth metals, Cadmium and Copper.

• Hazardous decomposition products: Potassium Oxides and Iodine gas.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

· LD/LC50 values that are relevant for classification:

7681-11-0 Potassium lodide

Oral LD50 1000 mg/kg (mouse)

7553-56-2 lodine

Oral LD50 14000 mg/kg (rat)

· Primary irritant effect:

 on the skin: Irritant to skin and mucous membranes.

· on the eye:

Irritating effect. Causes serious eye irritation.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Carcinogenic categories

- · IARC (International Agency for Research on Cancer)
- Group 1 Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Trade name: Lugol's Solution

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

None of the ingredients are listed.

· NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

* 12 Ecological information

· Toxicity

· Aquatic toxicity:

7681-11-0 Potassium lodide

EC50 2.7 mg/l (Water flea)

· Persistence and degradability No further relevant information available. ·

Behavior in environmental systems:

· Bioaccumulative potential No further relevant information

available.

· Mobility in soil No further relevant information available. ·

Additional ecological information:

· General notes: Not known to be hazardous to water.

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods ·

Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

Reviewed on 11/13/24

Reviewed on 11/13/24

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Trade name: Lugol's Solution

14 Transport information

· UN-Number					
· DOT, ADR, ADN, IMDG, IATA	Non-Regulated Material				
UN proper shipping name	-				
· DOT, ADR, ADN, IMDG, IATA	Non-Regulated Material				
 Transport hazard class(es) 					
· DOT, ADR, ADN, IMDG, IATA					
· Class	Non-Regulated Material				
 Packing group 					
· DOT, ADR, IMDG, IATA	Non-Regulated Material				
Environmental hazards:	Not applicable.				
 Special precautions for user 	Not applicable.				
Transport in bulk according to Annex II of					
MARPOL73/78 and the IBC Code Not	applicable. · UN				
"Model Regulation": -					
15 Regulatory information					

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

Sara				
Section 355 (extremely hazardous substances):				
None of the ingredients are listed.				
Section 313 (Specific toxic chemical listings):				
None of the ingredients are listed.				
· TSCA (Toxic Substances Control Act):				
All ingredients are listed.				
California Proposition 65				
Chemicals known to cause cancer:				
None of the ingredients are listed.				
· Chemicals known to cause reproductive toxicity for females:				
None of the ingredients are listed.				
Chemicals known to cause reproductive toxicity for males:				
None of the ingredients are listed.				
Chemicals known to cause developmental toxicity:				
None of the ingredients are listed.				
· Carcinogenic categories				
· EPA (Environmental Protection Agency)				
None of the ingredients are listed.				
· TLV (Threshold Limit Value established by ACGIH)				
7553-56-2 lodine	A4			
· NIOSH-Ca (National Institute for Occupational Safety and Health)				
None of the ingredients are listed.				

Reviewed on 11/13/24

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Trade name: Lugol's Solution

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Warning

· Hazard statements

Causes skin irritation.

Causes serious eye irritation. ·

Precautionary statements

Wear protective gloves.

Wear eye protection / face protection.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

· National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

State Right to Know		
CAS: 7732-18-5	Water, distilled water, deionized water	□85%
CAS: 7681-11-0	Potassium Iodide	5-10%
RTECS: TT 2975000	🚸 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	
CAS: 7553-56-2	lodine	2-12%
RTECS: NN 1575000	🕸 Aquatic Acute 1, H400; 🚸 Acute Tox. 4, H312; Acute Tox. 4, H332	
All ingredients are liste	ed.	

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

Date of preparation / last revision

06/11/15 - 11/13/24

· Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15

Trade name: Lugol's Solution

Reviewed on 11/13/24

IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 · * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106