OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 11/13/24



Issue date 06/11/15

## 1 Identification

- · Product identifier
- · Trade name: PMS Fungal / Tzanck Stain
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information

- Product description Toluidine blue, basic fuchsin in 30% ethanol
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Dermatologic Lab & Supply, Inc.

4001 E Plano Pkwy, Ste 100

Plano, TX 75074

Voice: (800) 831-6273 or (712) 323-3269

Fax: (800) 320-9612 or (712) 323-1156

www.delasco.com

• Emergency telephone number: Chemtrec 800-424-9300

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2H225Highly flammable liquid and vapor.



GHS08 Health hazard

Carc. 2 H351Suspected of causing cancer.



GHS07

Skin Irrit. 2 H315Causes skin irritation.

STOT SE 3H335May cause respiratory irritation.

Eye Irrit. 2BH320Causes eye irritation.

- · Label elements
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15 Reviewed on 11/13/24

### Trade name: PMS Fungal / Tzanck Stain







GHS02 GHS07 GHS08

### - Signal word Danger

### Hazard-determining components of labeling:

Ethyl alcohol

Isopropyl alcohol

Methanol

#### Hazard statements

Highly flammable liquid and vapor.

Causes skin and eye irritation.

Suspected of causing cancer.

May cause respiratory irritation. ·

### Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves / eye protection / face protection.

Wear protective gloves.

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a poison center/doctor if you feel unwell.

IF exposed or concerned: Get medical advice/attention.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme ·

NFPA ratings (scale 0 - 4)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15 Reviewed on 11/13/24

### Trade name: PMS Fungal / Tzanck Stain



Health = 1 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = \*1 Fire = 3 Reactivity = 0

· Hazard(s) not otherwise classified (HNOC): None known

## \* 3 Composition/information on ingredients

- Description: Mixture of substances listed below with nonhazardous additions.

Dangerous Compone	ents:		
CAS: 64-17-5	Ethyl alcohol	25-50%	
RTECS: KQ 6300000	♦ Flam. Liq. 2, H225; ♦ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320		
CAS: 67-56-1	Methanol	□ 2.5%	
RTECS: PC 1400000	♦ Flam. Liq. 2, H225; ♦ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute		
	Tox. 3, H331; ♦ STOT SE 1, H370		
CAS: 67-63-0	Isopropyl alcohol	□ 2.5%	
RTECS: NT 8050000	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319; STOT SE 3, H336		
CAS: 632-99-5	(4-(4-aminophenyl)(4-iminocyclohexa-2,5-dienylidene)methyl)- 2methylanilinehydrochloride		
	♦ Carc. 2, H351		

### \* 4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist. In case of unconsciousness, place patient securely on side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation occurs, consult a doctor. • *After eye contact:* Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Do not induce vomiting without medical advice. Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15 Reviewed on 11/13/24

### Trade name: PMS Fungal / Tzanck Stain

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters Use water spray to cool unopened containers.

#### · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

## 6 Accidental release measures

## · Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid contact with skin, eyes and clothing.

Keep people at a distance and stay upwind.

Keep away from ignition sources Do

not inhale gases / fumes /aerosols

Treat any fumes as toxic.

Wear protective equipment. Keep unprotected persons away. ·

### Environmental precautions:

Dilute with plenty of water. Do not allow to enter

sewers/ surface or ground water.

### · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation. Dispose of the collected

material according to regulations.

### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## \* 7 Handling and storage

#### · Handling:

#### · Precautions for safe handling

Keep away from heat and direct sunlight.

Avoid contact with skin, eyes and clothing

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

### · Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Do not cut, grind or weld on container that contains or contained product.

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

## · Conditions for safe storage, including any incompatibilities

Store away from acid chlorides, acid anhydrides, strong oxidizing agents, Alkali metals, strong reducing agents, strong acids, Ammonia, Aluminum and Halogenated compounds.

- Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15 Reviewed on 11/13/24

### Trade name: PMS Fungal / Tzanck Stain

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Specific end use(s) No further relevant information available.

## \* 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

	below TLV & PEL limits.				
· Components with occupational exposure limits:					
64-17-5 Ethyl alcohol					
PEL	Long-term value: 1900 mg/m³, 1000 ppm				
REL	Long-term value: 1900 mg/m³, 1000 ppm				
TLV	Short-term value: 1880 mg/m³, 1000 ppm				
	Upper Respiratory Tract irritation				
67-5	6-1 Methanol				
	Long-term value: 260 mg/m³, 200 ppm				
REL	Short-term value: 325 mg/m³, 250 ppm				
	Long-term value: 260 mg/m³, 200 ppm Skin				
TLV	Short-term value: 328 mg/m³, 250 ppm Long-				
	term value: 262 mg/m³, 200 ppm				
	Skin; BEI, headache, nausea, dizziness, eye damage				
67-63-0 Isopropyl alcohol					
PEL	Long-term value: 980 mg/m³, 400 ppm				
REL	Short-term value: 1225 mg/m³, 500 ppm Long-				
	term value: 980 mg/m³, 400 ppm				
TLV	Short-term value: 984 mg/m³, 400 ppm				
	Long-term value: 492 mg/m³, 200 ppm				
	BEI THE THE PARTY OF THE PARTY				
	edients with biological limit values:				
	6-1 Methanol				
BEI	15 mg/L .				
	urine end				
	of shift Methanol (background, nonspecific)				
67-63-0 Isopropyl alcohol					
	• • •				
DEI	40 mg/L urine				
	end of shift at end of workweek				
	Acetone (background, nonspecific)				

• Additional information: The lists that were valid during the creation of this SDS were used as basis.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15 Reviewed on 11/13/24

### Trade name: PMS Fungal / Tzanck Stain

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin. ·

#### Breathing equipment:



Suitable respiratory protective device recommended.

Protection of hands:



Protective gloves

(Contd. on page 6)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Select glove material based on penetration times, rates of diffusion and degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

Eye protection:



Tightly sealed goggles ·

### **Body protection:**



Protective work clothing

## \* 9 Physical and chemical properties

- Information on basic physical and chemical properties
- General Information Appearance:

Form: Liquid Color: Colorless

Intense blue-purple

- Odor: Alcohol

Odor threshold: Not determined.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15 Reviewed on 11/13/24

### Trade name: PMS Fungal / Tzanck Stain

- **pH-value:** Not determined.

· Change in condition

Melting point/Melting range:
 Boiling point/Boiling range:
 78 °C (172 °F)
Flash point:
 13 °C (55 °F)
Flammability (solid, gaseous):
 Not applicable.
Ignition temperature:
 425 °C (797 °F)
Decomposition temperature:
 Not determined.

Auto igniting: Product is not self-igniting.

- Danger of explosion: Product is not explosive. However, formation of explosive air/vapor

mixtures are possible.

Explosion limits:

**Lower:** 0.0 Vol % **Upper:** 15.0 Vol %

Vapor pressure @ 20 °C (68 °F):
 59 hPa (44 mm Hg)

· Density:

Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.

- Solubility in / Miscibility with

Water: Fully miscible.Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

Solvent content:

 Organic solvents:
 30.0 %

 Water:
 69.0 %

 VOC content:
 30.0 %

 Solids content:
 0.3 %

Other information
 No further relevant information available.

## \* 10 Stability and reactivity

- Reactivity No further relevant information available.
- · Chemical stability Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Heat, flame and ignition sources.
- · Incompatible materials:

Acid chlorides, acid anhydrides, strong oxidizing agents, Alkali metals, strong reducing agents, strong acids, Ammonia, Aluminum and Halogenated compounds.

· Hazardous decomposition products:

Carbon Oxides and Nitrogen Oxides (NOx) and Hydrochloric Acid gas.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15 Reviewed on 11/13/24

Trade name: PMS Fungal / Tzanck Stain

## \* 11 Toxicological information

- Information on toxicological effects ·

Acute toxicity:

64-17-5 Ethyl alcohol				
Oral	LD50	7060 mg/kg (rat) Remarks: Lungs, Thorax, or Respiration: Other changes. Carcinogenicity - Mouse - Oral Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Liver: Tumors. Blood: Lymphomas including Hodgkin's disease. Central nervous system depression, narcosis, Damage to the heart., To the best o our knowledge, the chemical, physical, and toxicological properties have not beer thoroughly investigated. Heart - Irregularities - Based on Human Evidence Central nervous system - Breathing difficulties - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence		
Inhalative	LC50/4 h LC50/96 hours	20000 mg/l (rat) 12900-15300 mg/l (Trout)		
67-56-1 M	ethanol			
Oral Dermal Inhalative	LD50 LD50 LC50/4 h LC50/96 hours	5628 mg/kg (rat) 15800 mg/kg (rabbit) 128.2 mg/l (rat) 15400 mg/l (Trout)		
67-63-0 Is	opropyl alcoho			
Oral Dermal Inhalative		5045 mg/kg (rat) 12800 mg/kg (rabbit) 30 mg/l (rat) 9640 mg/l (Pimephales)		

Primary irritant effect: on the skin: Irritant to skin

and mucous membranes.

· on the eye:

Irritating effect. Causes serious eye irritation.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15 Reviewed on 11/13/24

### Trade name: PMS Fungal / Tzanck Stain

Group 4 - Probably not carcinogenic to humans

	67-63-0	Isopropyl alcohol	3
	632-99-5	(4-(4-aminophenyl)(4-iminocyclohexa-2,5-dienylidene)methyl)-2-methylanilinehydrochloride	2B
	· NTP (Nat	tional Toxicology Program)	
	None of the	ne ingredients are listed.	
	· OSHA-Ca (Occupational Safety & Health Administration)		
*	None of the	ne ingredients are listed.	

## 12 Ecological information

•	,,,	OX	 w
			•,

· TOXICITY		
· Aquatic toxicity:		
5 Ethyl alcohol		
34900 mg/l (daphnia)		
1 Methanol		
22000 mg/l (Green algae)		
10000 mg/l (daphnia)		
0 Isopropyl alcohol		
6851 mg/l (Green algae)		
5102 mg/l (Water flea)		
t		

• Persistence and degradability No further relevant information available. •

### Behavior in environmental systems:

- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.

#### Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

## 13 Disposal considerations

· Waste treatment methods ·

#### Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

### Uncleaned packagings:

- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15 Reviewed on 11/13/24

Trade name: PMS Fungal / Tzanck Stain

## 4 Transport information

· UN-Number

· DOT, ADR, IMDG, IATA

· UN proper shipping name

- DOT Flammable liquids, n.o.s. (Ethanol, Methanol)

· ADR UN1993 Flammable liquids, n.o.s. (Ethanol, Methanol)

UN1993

 IMDG FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL),

METHANOL)

· IATA FLAMMABLE LIQUID, N.O.S. (ETHANOL, METHANOL)

Transport hazard class(es)

· DOT



 Class 3 Flammable liquids

· Label

ADR



· Class 3 (F1) Flammable liquids

· Label 3

· IMDG, IATA



Class

Page 11/14

Safety Data Sheet (SDS)

OSHA HazCom Standard Flyamma 1 bd 1 co. 11 1924 dd Sg) and GHS Rev 03.

· Label

Reviewed on 09/25/18

П

Tra de name: PM Ĥันที่ĝิล์Γ∕ Tzanck Stain

Environmental hazards: Not applicable.

· Special precautions for user Warning: Flammable liquids

Danger code (Kemler): 33 · EMS Number: F-E, S-E

· Transport in bulk according to Annex II

of MARPOL73/78 and the IBC Code

Not applicable.

· Transport/Additional information:

- DOT

 Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L

· ADR

 Excepted quantities (EQ) Code: E2

> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

IMDG

 Limited quantities (LQ) 5L Code: E2 Excepted quantities (EQ)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15 Reviewed on 11/13/24

Maximum net quantity per inner packaging: 30 ml **Trade name: PMS Fungal / Tzanck Stain**Maximum net quantity per outer packaging: 500 ml

- UN "Model Regulation": UN1993, Flammable liquids, n.o.s. (Ethanol, Methanol), 3, II

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

67-56-1 Methanol

67-63-0 Isopropyl alcohol

TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · California Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

64-17-5 Ethyl alcohol

67-56-1 Methanol

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients are listed.

· TLV (Threshold Limit Value established by ACGIH)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15 Reviewed on 11/13/24

### Trade name: PMS Fungal / Tzanck Stain

64-17-5	Ethyl alcohol	A3
67-63-0	Isopropyl alcohol	A4
NIOSH-Ca (National Institute for Occupational Safety and Health)		
None of th	e ingredients are listed.	

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02 GHS07 GHS08

- · Signal word Danger
- Hazard-determining components of labeling:

Ethyl alcohol

Isopropyl alcohol

Methanol

· Hazard statements

Highly flammable liquid and vapor.

Causes skin and eye irritation.

Suspected of causing cancer.

May cause respiratory irritation. ·

### Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves / eye protection / face protection.

Wear protective gloves.

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a poison center/doctor if you feel unwell.

IF exposed or concerned: Get medical advice/attention.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

If on skin: Wash with plenty of water.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15 Reviewed on 11/13/24

### Trade name: PMS Fungal / Tzanck Stain

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations:		
The product is subject to substances.	be classified according with the latest version of the regulations on hazardous	
· State Right to Know		
CAS: 7732-18-5	Water, distilled water, deionized water	60-90%
CAS: 64-17-5	Ethyl alcohol	25-50%
RTECS: KQ 6300000	♦ Flam. Liq. 2, H225; ♦ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	
CAS: 67-63-0	Isopropyl alcohol	□ 2.5%
RTECS: NT 8050000	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319; STOT SE 3, H336	
CAS: 67-56-1	Methanol	□ 2.5%
RTECS: PC 1400000	Flam. Liq. 2, H225; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT SE 1, H370	
CAS: 92-31-9	Tolonium chloride	□ 2.5%
CAS: 632-99-5	(4-(4-aminophenyl)(4-iminocyclohexa-2,5-dienylidene)methyl)- 2methylanilinehydrochloride	□ 2.5%
	① Carc. 2, H351	
All ingredients are liste	ed.	

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

## · Date of preparation / last revision

06/11/15 - 11/13/24

### · Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Acute Tox. 3: Acute toxicity, Hazard Category 3

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/11/15 Reviewed on 11/13/24

### Trade name: PMS Fungal / Tzanck Stain

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

Carc. 2: Carcinogenicity, Hazard Category 2

STOT SE 1: Specific target organ toxicity - Single exposure, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

· \* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106