## **Safety Data Sheet**

Section 1. Identification					
Product Identification and Item Numbers: Red tissue stain (RED/1, RED/2, RED/8)					
Product Description:	A red, liquid solution used in the staining of tissue samples.				
Recommended use and restrictions on use:	N/A				
Supplier:	Delasco 4001 E Plano Pkwy, Ste 100 Plano, TX 75074 1-712-323-3269 www.delasco.com questions@delasco.com				
In Case of Emergency, Contact:	Chemtrec (24 hour) 1-800-424-9300				

<b>,</b>	
Section 2. Hazard	(s) Identification
Classification:	
Skin corrosion/irrita Serious eye dama	ation (Category 2) ge/eye irritation (Category 1)
Labeling:	
Hazard symbol(s)	GHS05: corrosive
Signal word:	Danger!
Hazard statement	ts:
H315: Causes skir	n irritation.
Precautionary sta	atements:
	hands and any exposed skin thoroughly after handling.
	ctive gloves/protective clothing/eye protection/face protection
	N SKIN: wash with plenty of soap and water.
P305+P351+P338	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

Section 3. Composition/Information on Ingredients					
Chemical Name and Concentration:	2-Propanol 1-5% w/w% Ethanol,2-(dimethylamino) 1-5% w/w Monoethanolamine 1-5% w/w				
Other Names, Common Names, Synonyms:	MWF-2059 HSHG LF Pantone® Rubine				
CAS Number, other unique identifiers:	Mixture: 2-Propanol CAS# 67-63- Ethanol,2-(dimethylamino) CAS# 108-01 Monoethanolamine CAS# 67-63-				
Other classified impurities or stabilizers:	N/A				
Other ingredients posing health hazards:	Ammonium hydroxide				
Concentration of other hazardous ingredients:	ents: <0.1%				

Section 4. First-aid Measures				
Inhalation exposure:	Move to fresh air. If symptoms persist, call a physician.			
Skin exposure:	Wash off with soap and water. Remove contaminated clothing. If irritation develops, get medical attention.			
Eye contact:	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.			
Ingestion:	Rinse mouth. Consult a physician if necessary.			



Local & International: 1-712-323-3269Website: www.delasco.com24-Hour Fax: 1-712-323-1156Email: questions@delasco.com

Section 5. Fire Fighting Measures						
Suitable / unsuitable extinguishing media:	Suitable: Water spray. Carbo Unsuitable: N/A	Suitable: Water spray. Carbon dioxide (CO2). Dry chemical. Foam. Unsuitable: N/A				
Specific hazards / combustion products:		Keep product and empty container away from heat and sources of ignition. In the event of fire and/or explosion do not breathe fumes. Thermal decomposition can lead to release of irritating gases and vapors.				
Special protective equipment and precautions for fire-fighters:	Use personal protective equipment. Standard procedure for chemical fires.					
NFPA Hazard Classification	Health – 1 Flammability – 1 Instability – 0	0-Minimal 1-Slight 2-Moderate 3-Serious 4-Severe				

Section 6. Accidental Release Measures			
Personal precautions and protective equipment:	Ensure adequate ventilation.		
Environmental Precautions:	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.  Local authorities should be advised if significant spillages cannot be contained. Do not flush into surface water or sanitary sewer system. Prevent from entering into soil, ditches, sewers, waterways and/or groundwater.		
Containment / clean up methods:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Prevent product from entering drains. Sweep up and shovel into suitable containers for disposal. Clean contaminated surface thoroughly. If liquid has been spilt in large quantities clean up promptly by scoop or vacuum.		

Section 7. Handling and Storage				
Precautions for safe handling:				
Conditions for safe storage:	Keep in properly labeled containers. Keep away from open flames, hot surfaces and sources of ignition. Keep container tightly closed in a dry and well-ventilated place.			
Incompatibilities to avoid:	There are no incompatible materials.			



	Controls and Personal Protection				
OSHA Permissible 2-Propanol					
Exposure Limit (PEL):	TWA: 400 ppm / 980 mg/m <sup>3</sup>				
	Monoethanolamie				
	TWA: 3 ppm / 6 mg/m <sup>3</sup>				
Threshold Limit Value	2-Propanol				
(TLV):	TWA: 200 ppm				
	STEL: 400 ppm				
	Monoethanolamine				
	TWA: 3ppm				
	STEL: 6 ppm				
Other exposure limits:	2-Propanol – NIOSH IDLH				
	2000 ppm				
	Monoethanolamine – NIOSH IDLH				
	30 ppm				
Engineering controls:	Ensure adequate ventilation, especially in confined areas.				
Personal protective	Eye/face protection				
equipment:	Safety glasses with side-shields.				
	Skin and body protection				
	Protective gloves.				
	Respiratory protection				
	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved				
	respiratory protection should be worn. Positive-pressure supplied air respirators may be				
	required for high airborne contaminant concentrations. Respiratory protection must be				
	provided in accordance with current local regulations.				
Other personal protection	Provide nearby eyewash station and safety shower.				
measures:					

Section 9. Physical and Chemical Properties				
Appearance (physical state, color, etc.):	Yellow liquid			
Odor:	Mild ammonia			
Odor threshold:	Data not available for this mixture			
pH:	9.0-9.6			
Melting point / freezing point:	0°C			
Initial boiling point and boiling range:	100°C			
Flash point:	>93°C			
Evaporation rate:	Data not available for this mixture.			
Flammability	Data not available for this mixture.			
Upper / lower flammability or explosive limits:	Data not available for this mixture.			
Vapor Pressure:	Data not available for this mixture.			
Vapor density:	Data not available for this mixture.			
Relative density:	8.6323 lbs/gal / 1.0344 g/mL			
Solubility:	Dispersible in water			
Partition coefficient: n-octanol/water:	Data not available for this mixture.			
Auto-ignition temperature:	Data not available for this mixture.			
Decomposition temperature:	Data not available for this mixture.			
Viscosity:	Data not available for this mixture.			



Section 10. Stability and Reactivity				
Chemical stability:	Stable under normal conditions.			
Possibility of hazardous reactions:	None under normal processing.			
Conditions to avoid (static, shock, vibration)	Heat, flames and sparks.			
Incompatible materials:	There are no incompatible materials.			
Hazardous decomposition products:	None under normal processing.			

Section 11. Toxicological Information								
Routes of exposure:	Ingestion, inhalation, skin and/or eye contact.							
Acute Symptoms (acute):	Data not available for	Data not available for this mixture.						
Symptoms (chronic):	Respiratory or skin s	sensitization No inform	nation available.					
Chronic effects from	Germ cell mutagenio							
short and long term			nents are present, a tabl	e below will indicate				
exposure:	which agencies have		s a carcinogen.					
	Reproductive toxicit		a:lalala					
	STOT - single expos STOT - repeated exp							
	Aspiration hazard No	o information available.	avaliable.					
Numerical measures of toxicity (e.g., acute	Component							
toxicity (e.g., acute toxicity estimates):	Ethanol.2-	1803 mg/kg (Rat)		6.1 mg/L (Rat)				
	Lilianoi,2-	1803 Hig/kg (Kat)		0.1 mg/L (Nat)				
	(dimethylamino)							
	2-Propanol	4396 mg/kg (Rat)	12800 mg/kg (Rat)	72.6 mg/L (Rat)				
	12870 mg/kg							
		(Rabbit)						
	Monoethanolamine	1720 mg/kg (Rat)	1025 mg/kg (Rabbit)					
	ATEmix (oral): 20022 mg/kg							
	ATEmix (dermal): 15583 mg/kg							
	ATEmix (inhalation-dust/mist): 23.5 mg/L							
NTP carcinogen:	No data available for this mixture.							
EPA carcinogen:	No data available for this mixture.							
ACGIH carcinogen:	No data available for t	No data available for this mixture.						
IARC potential	No data available for this mixture.							
carcinogen:								
OSHA carcinogen:	No data available for this mixture.							



Section 12. Ecological Information (Non-mandatory)					
Ecotoxicity (aquatic and terrestrial, where available):	Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
	2-Propanol	EC50 > 1000 mg/L 96h EC50 > 1000 mg/L 72 h			EC50 = 13299 mg/L 48 h
	Monoethanolamine	EC50 = 15 mg/L 72h			EC50 = 65mg/L 48h
	Ethanol,2- (dimethylamino)	EC50 = 35 mg/L 72h			EC50 = 98.77 mg/L 48h
Persistence and degradability:	Not available	Į.	·L	Ш	<u> </u>
Bioaccumulative potential:	Not available				
Mobility in soil:	Component		Log Pow		
	2-Propanol		0.05		
	Monoethanolamine		-1.91		
	Ethanol,2-(dimethylamino)		-0.55		
Other adverse effects:	Not available				

Section 13. Disposal Considerations (Non-mandatory)					
Safe methods of disposal:	Dispose of in accordance with federal, state and local environmental control regulations.				

Section 14. Transport Information (Non-mandatory)					
US DOT	UN number:	N/A	Class:	N/A	Packing Group: N/A
UN proper shipping name:		N/A			
Packing group, if applicable:		N/A			
Environmental hazards (marine pollutant,		N/A			
etc)					
Special transport precautions:		N/A			

Section 15. Regulatory Information (Non-mandatory)				
Specific safety, health, and environmental	N/A			
regulations:				

Section 16. Other information			
Date of preparation or last revision:	11/13/2024		

